





C-29-1

Salt Pond / Canary Cove

Blue Hill, ME



Date printed: 9/10/2022 7:53 PM



C-29-1 Salt Pond / Canary Cove

Town Blue Hill

Latitude 44° 22.593' N **Longitude** 68° 33.393

Approx. Tidal Range (feet) 10

Max Current (knots) **Flood** **Ebb**

Source

Port Region Penobscot Bay

NOAA Chart # 13316_1

ESI Map # 22B

EVI Map # 59

DeLorme Map # (2019) 15 B5

Resources At Risk

ESI Primary Shoreline Type Exposed wave-cut platforms in bedrock, mud, or clay (2A)

ESI Secondary Shoreline Type Mixed sand and gravel beaches (5)

Environmental Concerns Sheltered tidal flats, shorebirds, marine worms and shellfish beds. Diadromous fish, aquaculture

Archaeological Conflicts Utilize boulder or tree anchors for western end of northwestern boom. Avoid southern end of Mill Island. Deviations will require MHPC review. Contact MHPC at (207) 287-2132.

Strategy Information

Strategy Purpose To exclude oil from Salt Pond -- SEE SPECIAL INSTRUCTIONS

Staging Areas May be able to pull boom from road or adjacent private property at slacker tides. Would have to close road.

Site Access Possibly from road or adjacent private property at 158 Falls Bridge Road, Blue Hill

Nearest Boat Ramp All tide trailerable ramp at South Blue Hill Wharf, approx. 1.5 miles south on Falls Bridge Road (Rte. 175).

Collection Points Strategy purpose is exclusion.

Special Instructions At maximum currents (mid-tide), current is known to be rapids. Unsure whether this strategy is feasible considering the current in the vicinity. Use caution.

Work Assignment Place five 500 foot lengths of boom in a chevron formation across the entrances to Canary Cove and Salt Pond. Place one 300 foot length of boom as shown across secondary connection to Canary Cove.

Recommended Equipment / Resources

Length of Boom (feet) 2800

Type of Boom 12" - 18" containment boom

Recommended Equipment (Minimum)
7 - anchor systems: 40 lb. Danforth or equivalent and line for 3:1 scope plus tag lines and buoys.
4 - shoreside connections
2 - workboats with minimum 90 hp
2 - boat operators
4 - laborers

Unless otherwise indicated, the boom length given is the distance measured on the chart. Actual length required may vary with conditions.

Last Desktop Validation: 1/11/2019

Last Field Visit

Last Field Test: