






# D-19-1

## Straight Bay & Nutter Cove

### Edmunds Township / Lubec, ME



Date printed: 9/10/2022 7:54 PM



# D-19-1 Straight Bay & Nutter Cove

**Town** Edmunds Twp / Lubec

**Port Region** Downeast

**Latitude** 44° 52.654' **Longitude** 67° 6.456'

**NOAA Chart #** 13394\_1

**Approx. Tidal Range (feet)** 19

**ESI Map #** 4B

**Max Current (knots)** **Flood** **Ebb**

**EVI Map #** 95

**Source** **DeLorme Map # (2019)** 27 2A

## Resources At Risk

**ESI Primary Shoreline Type** Exposed wave-cut platforms in bedrock, mud, or clay (2A)

**ESI Secondary Shoreline Type** Mixed sand and gravel beaches (5)

**Environmental Concerns** Mudflats, eelgrass beds, shellfish beds, shorebird areas and seal haul outs

**Archaeological Conflicts** No conflict as designed. Deviations from GRS design will require MHPC review. Contact MHPC at (207) 287-2132.

## Strategy Information

**Strategy Purpose** Exclude oil from Straight Bay, Nutter Cove and Morrison Cove.

**Staging Areas** Cobscook Bay boat ramp at Cobscook Bay State Park, South Edmunds Road, Edmunds Twp

**Site Access** Access by water only

**Nearest Boat Ramp** Cobscook Bay boat ramp at Cobscook Bay State Park, Edmunds

**Collection Points** Exclusion only

**Special Instructions** CAUTION: Confused seas and strong currents in this area. Site is very difficult to access, very limited roads and very rough terrain. Many rocky areas that may not be accurately charted. Strategy has not been tested. Local knowledge is strongly advised.

**Work Assignment** Use extreme caution deploying this strategy. See special instructions. Deploy two 350 foot sections of harbor boom from Race Point to west side of Coffin Neck; deploy three 500 foot sections of harbor boom from east side of Coffin Neck to west side of Huckins Island; deploy two 300 foot sections of harbor boom and one 250 foot section of boom from east side of Huckins Island to small adjacent point on Denbow Neck.

## Recommended Equipment / Resources

**Length of Boom (feet)** 3050

**Type of Boom** 12" to 18" containment

**Recommended Equipment (Minimum)**  
18 - anchor systems: 35 lb. Danforth or equivalent and line for 3:1 scope plus tag lines and buoys.  
2 - 3 workboats with minimum 90 hp  
2 - 3 boat operators  
4 - 6 laborers

Unless otherwise indicated, the boom length given is the distance measured on the chart. Actual length required may vary with conditions.

Last Desktop Validation: 5/4/2019

Last Field Visit

Last Field Test: